

Section 1 Polymers, Copolymers, Terpolymers  
Section 2 Tradename Polymer Additives  
Section 3 Common Plastics, Pellets and Engineering Plastics  
Section 4 Rubber

All spectra were recorded on a Germanium ATR crystal (refractive index = 4.0). Germanium was used to tame the effects of strong refractive indexes.

## POLYMERS, COPOLYMERS, TERPOLYMERS

1,2-Polybutadiene, certified geometrical isomer content, 9.0% cis, 3.0% trans, 88.0% vinyl, Mw=100000,9003-17-2  
1,2-Polybutadiene, Mw=100000, 31567-90-5  
Acrylonitrile/butadiene copolymer, acrylonitrile 44%, 9003-18-3  
Acrylonitrile/butadiene copolymer, acrylonitrile 21%, 9003-18-3  
Acrylonitrile/butadiene copolymer, acrylonitrile 22%, 9003-18-3  
Acrylonitrile/butadiene copolymer, acrylonitrile 27%, 9003-18-3  
Acrylonitrile/butadiene copolymer, acrylonitrile 29%, 9003-18-3  
Acrylonitrile/butadiene copolymer, acrylonitrile 31%, 9003-18-3  
Acrylonitrile/butadiene copolymer, acrylonitrile 33%, 9003-18-3  
Acrylonitrile/butadiene copolymer, acrylonitrile 33%, talc present, 9003-18-3  
Acrylonitrile/butadiene copolymer, acrylonitrile 38%, 9003-18-3  
Acrylonitrile/butadiene copolymer, acrylonitrile 51%, 9003-18-3  
Acrylonitrile/butadiene copolymer, acrylonitrile 55%, 9003-56-9  
Acrylonitrile/butadiene copolymer, acrylonitrile 41%, mooney viscosity=50(100C), 9004-18-3  
Acrylonitrile/butadiene copolymer, acrylonitrile 41%, mooney viscosity=60(100C), 9004-18-3  
Acrylonitrile/butadiene copolymer, acrylonitrile 41%, mooney viscosity=75(100C), 9004-18-3  
Acrylonitrile/butadiene copolymer, acrylonitrile 41%, mooney viscosity=95(100C), 9004-18-3  
Alginic acid, sodium salt, 50/50, 9005-38-3  
alpha-Cellulose,9004-34-6  
Butyl methacrylate/isobutyl methacrylate copolymer, 50/50, Mw=200000, Tg=35, 9011-53-4  
Cellulose acetate butyrate, butyryl 17%, acetyl 29.5%, hydroxyl 1.5%, Mw=200000, 9004-36-8  
Cellulose acetate hydrogen phthalate, 9004-38-0  
Cellulose acetate, acetyl 39.8%, hydroxyl 3.6%, 9004-35-7  
Cellulose propionate, Mw=200000, 9004-39-1  
Cellulose triacetate, Mw=240000, 9012-09-3  
Cellulose, 100 micron avg. particle size, 9004-34-6  
Cellulose, 20 micron avg. particle size, 9004-34-6  
Cellulose, 50 micron avg. particle size, 9004-34-6  
Cellulose, carboxy methyl, sodium salt, solid, viscosity 10-20cp (2% in water at 25C), 9004-32-4  
Cellulose, carboxy methyl, sodium salt, solid, viscosity 1500-3000cp (1% in water at 25C), 9004-32-4  
Cellulose, carboxy methyl, sodium salt, solid, viscosity 400-800cp (2% in water at 25C), 9004-32-4  
Cellulose, cyanoethylated, Tg=180, 9004-41-5  
Cellulose-N,N-diethylaminoethyl ether, 9013-34-7  
Epichlorohydrin/ethylene oxide copolymer, 24969-10-6  
Ethyl cellulose, ethoxyl 48%, Tg=43, 9004-57-3  
Ethylene/acrylic acid copolymer, acrylic acid 10%, 9010-77-9

Ethylene/acrylic acid copolymer, acrylic acid 15%, 9010-77-9  
Ethylene/acrylic acid copolymer, acrylic acid 5%, 9010-77-9  
Ethylene/acrylic acid copolymer, acrylic acid 9%, 9010-77-9  
Ethylene/butylene copolymer, dihydroxy terminated, hydroxyl equiv. weight 1700, Tg=-63  
Ethylene/butylene copolymer, monohydroxy terminated, hydroxyl equiv. weight 4000, Tg=-63, 68954-09-6  
Ethylene/ethyl acrylate copolymer, ethyl acrylate 18%, 9010-86-0  
Ethylene/methacrylic acid copolymer, methacrylic acid 12%, 25053-53-6  
Ethylene/methacrylic acid copolymer, methacrylic acid 4%, 25053-53-6  
Ethylene/methacrylic acid copolymer, methacrylic acid 9%, 25053-53-6  
Ethylene/methacrylic acid ionomer, sodium ion, 25608-26-8  
Ethylene/methacrylic acid ionomer, sodium ion, melt flow index 1.3g/10min, 25608-26-8  
Ethylene/methacrylic acid ionomer, zinc ion, 25608-26-8  
Ethylene/methacrylic acid ionomer, zinc ion, melt flow index 0.7g/10min, 25608-26-8  
Ethylene/propylene copolymer, ethylene 60%, Tg=-50, 9010-79-1  
Ethylene/propylene/butylene terpolymer, epoxidized, monohydroxyl terminated, epoxy equivalent weight 590, Tg=-53, 188038-86-2  
Ethylene/propylene/diene terpolymer, ethylene 50%, diene 4%, Tg=-50, 25038-36-2  
Ethylene/propylene/diene terpolymer, ethylene 50%, diene 8%, Tg=-50, 25038-36-2  
Ethylene/propylene/diene terpolymer, ethylene 60%, diene 4%, Tg=-50, 25038-36-2  
Ethylene/propylene/diene terpolymer, ethylene 70%, diene 4%, Tg=-50, talc present, 25038-36-2  
Ethylene/vinyl acetate copolymer, 14% VA by wt., 24937-78-8  
Ethylene/vinyl acetate copolymer, 18% VA by wt., 24937-78-8  
Ethylene/vinyl acetate copolymer, 25% VA by wt., Mw=100000, 24937-78-8  
Ethylene/vinyl acetate copolymer, 28% VA by wt., Mw=250000, 24937-78-8  
Ethylene/vinyl acetate copolymer, 33% VA by wt., Mw=150000, 24937-78-8  
Ethylene/vinyl acetate copolymer, 40% VA by wt., Mw=200000, 24937-78-8  
Ethylene/vinyl acetate copolymer, 40% VA by wt., Mw=200000, talc present, 24937-78-8  
Ethylene/vinyl acetate copolymer, 45% VA by wt., Mw=250000, talc present, 24937-78-8  
Ethylene/vinyl acetate copolymer, 50 VA% by wt., Mw=250000, 24937-78-8  
Ethylene/vinyl acetate copolymer, 70 VA% by wt., Mw=285000, 24937-78-8  
Ethylene/vinyl acetate copolymer, 9% VA by wt., 24937-78-8  
Ethylene/vinyl alcohol copolymer, ethylene 27mole%, Tg=72, 26221-27-2  
Ethylene/vinyl alcohol copolymer, ethylene 38mole%, Tg=175, 26221-27-2  
Ethylene/vinyl alcohol copolymer, ethylene 44mole%, Tg=165, 26221-27-2  
Hydroxybutyl methyl cellulose, hydroxybutyl 3.5%, methoxyl 30%, 9041-56-9  
Hydroxyethyl cellulose, 9004-62-0  
Hydroxyethyl cellulose, solid, viscosity 4400-6000cp (1% in water at 25), 9004-62-0  
Hydroxyethyl cellulose, solid, viscosity 4800-6000cp (2% in water at 25C), 9004-62-0  
Hydroxyethyl cellulose, solid, viscosity 75-110cp (5% in water at 25C), 9004-62-0  
Hydroxypropyl cellulose, Mw=100000, 9004-64-2  
Hydroxypropyl cellulose, Mw=1000000, 9004-64-2  
Hydroxypropyl cellulose, Mw=300000, 9004-64-2  
Hydroxypropyl cellulose, Mw=60000, 9004-64-2  
Hydroxypropyl methyl cellulose, hydroxypropyl 10%, methoxyl 30%, Mn=86000, 9004-65-3  
Methyl cellulose, methoxyl 30%, Mn=86000, Tg=150, 9004-67-5  
Methyl vinyl ether/maleic acid copolymer, 25153-40-6  
Methyl vinyl ether/maleic acid copolymer, 50/50, 25153-40-6  
Methyl vinyl ether/maleic acid copolymer, monoisopropyl ester, 50/50 copolymer (molar), 31307-95-6  
Methyl vinyl ether/maleic anhydride copolymer, 50/50 copolymer (molar), Mw=20000, 9011-16-9  
Methyl vinyl ether/maleic anhydride copolymer, 50/50 copolymer (molar), Mw=70000, 9011-16-9

Nafion 117, hydrogen ion form, copolymer of tetrafluoroethylene and perfluoroether sulfonate, Mw=1000000, 66796-30-3

N-Vinylpyrrolidone/dimethylaminoethyl methacrylate copolymer, quaternized, dried from aq. sol., Mw=1000000, 53633-54-8

N-Vinylpyrrolidone/styrene copolymer, 40 N-vinylpyrrolidone, dried from aq. sol., Mw=400000, 25086-29-7

N-Vinylpyrrolidone/vinyl acetate copolymer, n-Vinylpyrrolidone 60%, Mw=2500, 25086-89-9

N-Vinylpyrrolidone/vinyl acetate copolymer, Mw=13000, 25086-89-9

N-Vinylpyrrolidone/vinyl acetate copolymer, Mw=2000, 25086-89-9

N-Vinylpyrrolidone/vinyl acetate copolymer, Mw=3500, Tg=108, 25086-89-9

Nylon 11, 25035-04-5

Nylon 12, 25038-74-8

Nylon 6(3)T, Tg=140, 25497-66-6

Nylon 6, 25038-54-4

Nylon 6/10; Poly(hexamethylene nonanediamide), Tg=40, 9011-52-3

Nylon 6/12, 25191-04-2

Nylon 6/6, 32131-17-2

Nylon 6/9, 28757-63-3

Octadecene-1-maleic anhydride copolymer, anhydride 15-23%, acid 5-10%, Mw=50000, 25266-02-8

Octadecyl vinyl ether/maleic anhydride copolymer, 28214-64-4

Phenoxy resin, Mw=50000, 25068-38-6

Poly(1,4-butylene adipate), Mw=12000, Tg=-68, 25103-87-1

Poly(1,4-cyclohexanedimethylene succinate), Mw=30000, 60836-39-7

Poly(1-butene), isotactic, Mw=570000, Tg=-24, 25036-29-7

Poly(2-(2-ethoxyethoxy) ethyl acrylate), Mw=100000, 27015-29-8

Poly(2,2,2-trifluoroethyl methacrylate), Mw=100000, 54808-79-8

Poly(2,2-dimethyl-1,3-propylene succinate), Mw=16000, 28257-92-3

Poly(2,3-dihydrofuran), Mw=100000, 75454-45-4

Poly(2,6-dimethyl-p-phenylene oxide), Mw=50000, Tg=210, 25134-01-4

Poly(2-acrylamido-2-methylpropane sulfonic acid), dried aq. sol., Mw=800000, 27119-07-9

Poly(2-acrylamido-2-methylpropane sulfonic acid), sodium salt, 35641-59-9

Poly(2-bromostyrene), Mw=60000, 27290-16-0

Poly(2-butoxyethyl acrylate), Mw=80000, 26677-78-1

Poly(2-chlorostyrene), Tg=119, 26125-41-7

Poly(2-ethyl-2-oxazoline), Mw=200000, Tg=70, 25805-17-8

Poly(2-ethyl-2-oxazoline), Mw=5000, Tg=70, 25805-17-8

Poly(2-ethyl-2-oxazoline), Mw=50000, Tg=70, 25805-17-8

Poly(2-ethyl-2-oxazoline), Mw=500000, Tg=70, 25805-17-8

Poly(2-ethylhexyl acrylate), Mw=90000, Tg=-50, 9003-77-4

Poly(2-ethylhexyl methacrylate), Mw=100000, Tg=-10, 25719-51-1

Poly(2-hydroxyethyl acrylate), dried aq. sol., Tg=-15, 26022-14-0

Poly(2-hydroxyethyl methacrylate), Mw=1000000, Tg=55, 25249-16-5

Poly(2-hydroxyethyl methacrylate), Mw=20000, 25249-16-5

Poly(2-hydroxyethyl methacrylate), Mw=300000, Tg=55, 25249-16-5

Poly(2-methoxyethyl acrylate), Mw=100000, 28628-64-0

Poly(2-octyl acrylate), Mw=55000, Tg=-45, 25266-13-1

Poly(2-phenoxyethyl acrylate), Mw=200000, 34962-82-8

Poly(2-phenoxyethyl methacrylate), Mw=200000

Poly(2-phenylethyl methacrylate), Mw=100000, Tg=26, 28825-60-7

Poly(2-vinylnaphthalene), Tg=151, 28406-56-6

Poly(2-vinylpyridine), linear, Mw=100000, Tg=104, 25014-15-7

Poly(2-vinylpyridine), linear, Mw=200000, Tg=104, 25014-15-7

Poly(2-vinylpyridine), linear, Mw=40000, Tg=104, 25014-15-7  
Poly(2-vinylpyridine-co-styrene), 30% styrene, Mw=110000  
Poly(3-bromostyrene), Mw=60000, 25584-47-8  
Poly(3-chlorostyrene), Tg=90, 26100-04-9  
Poly(4,4'-dipropoxy-2,2'-diphenyl propane fumarate), Mw=16000  
Poly(4-bromostyrene), Mw=60000, Tg=118, 24936-50-3  
Poly(4-chlorostyrene), Tg=110, 24991-47-7  
Poly(4-hydroxybutyl acrylate), 29086-87-1  
Poly(4-methoxystyrene), Mw=400000, Tg=113, 24936-44-5  
Poly(4-methyl-1-pentene), melt flow index 26g/10min, Tg=31, 25068-26-2  
Poly(4-methyl-1-pentene), melt flow index 8g/10min, Tg=31, 25068-26-2  
Poly(4-methylstyrene), monocarboxy terminated, Mw=25000, Tg=106, 24936-41-2  
Poly(4-methylstyrene), Mw=100000, 24936-41-2  
Poly(4-methylstyrene), narrow distribution, Mw=50000, Tg=106, 24936-41-2  
Poly(4-vinylbiphenyl), Tg=138, 25232-08-0  
Poly(4-vinylpyridine), linear, Mw=200000, Tg=142, 25232-41-1  
Poly(4-vinylpyridine-co-butyl methacrylate), butyl methacrylate 25%  
Poly(4-vinylpyridine-co-butyl methacrylate), butyl methacrylate 50%  
Poly(4-vinylpyridine-co-styrene), styrene 50%, Mw=60000  
Poly(acrylic acid), dried aq. sol., Mw=2000, 9003-01-4  
Poly(acrylic acid), dried aq. sol., Mw=240000, 9003-01-4  
Poly(acrylic acid), dried aq. sol., Mw=5000, 9003-01-4  
Poly(acrylic acid), Mw=1250000, Tg=106, 9003-01-4  
Poly(acrylic acid), Mw=3000000, Tg=106, 9003-01-4  
Poly(acrylic acid), Mw=4000000, Tg=106, 9003-01-4  
Poly(acrylic acid), Mw=450000, Tg=106, 9003-01-4  
Poly(acrylic acid), Mw=750000, Tg=106, 9003-01-4  
Poly(acrylic acid), sodium salt, sodium 17.5%, Mw=2100, 9003-04-7  
Poly(acrylic acid), sodium salt, sodium ion 18.9%, Mw=6000, 9003-04-7  
Poly(alpha-methylstyrene), 25014-31-7  
Poly(alpha-methylstyrene), Tg=49, 25014-31-7  
Poly(benzyl acrylate), Mw=100000, Tg=6, 25036-21-9  
Poly(benzyl methacrylate), Mw=70000, Tg=54, 25085-83-0  
Poly(butadiene)diol, 60% trans 1,4; 20% cis 1,4, 20% vinyl 1; Mn=2800, Tg=-75, 69102-90-5  
Poly(Butadiene-co-acrylonitrile) dicarboxy terminated, acrylonitrile 26%, carboxyl 2.4%, 68891-46-3  
Poly(butadiene-co-acrylonitrile), amine terminated, acrylonitrile 10%, Mw=6400, 68683-29-4  
Poly(butadiene-co-acrylonitrile), amine terminated, acrylonitrile 16.5%, Mw=8300, 68683-29-4  
Poly(butadiene-co-acrylonitrile), dicarboxy terminated, acrylonitrile 10%, carboxyl 2.47%, Mw=19000, 68891-46-3  
Poly(butadiene-co-acrylonitrile), dicarboxy terminated, acrylonitrile 18%, carboxy 2.37%, Mw=16000, Tg=-52, 68891-46-3  
Poly(butadiene-co-acrylonitrile), dicarboxy terminated, acrylonitrile 18%, carboxyl 2.93%, Mw=17000, Tg=-52, 68891-50-9  
Poly(butadiene-co-acrylonitrile), dicarboxy terminated, acrylonitrile 21.5%, carboxyl 3%, Mw=20000, 68891-50-9  
Poly(butadiene-co-acrylonitrile), vinyl terminated, acrylonitrile 16.2%, acrylic vinyl 3.8%, Tg=-49, 68891-47-4  
Poly(butadiene-co-acrylonitrile), vinyl terminated, acrylonitrile 16.5%, acrylic vinyl 3%, 68891-47-4  
Poly(butylene terephthalate), melt viscosity 8500p, 30965-26-5  
Poly(caprolactone)diol, Mw=1250, 36890-68-3  
Poly(caprolactone)diol, Mw=2000, 36890-68-3  
Poly(caprolactone)diol, Mw=3000, 36890-68-3  
Poly(caprolactone)diol, Mw=530, 36890-68-3  
Poly(caprolactone)diol, Mw=830, 36890-68-3

Poly(caprolactone)triol, Mw=300, 37625-56-2  
Poly(caprolactone)triol, Mw=540, 37625-56-2  
Poly(caprolactone)triol, Mw=900, 37625-56-2  
Poly(cyclohexyl acrylate), Mw=150000, Tg=19, 27458-65-7  
Poly(cyclohexyl methacrylate), crosslinked, Tg=104, 25768-50-7  
Poly(cyclohexyl methacrylate), Mw=65000, 25768-50-7  
Poly(diallyl isophthalate), 25035-78-3  
Poly(diallyl phthalate), 25053-15-0  
Poly(diethylene triamine-co-adipic acid), cationic polymer intermediate, dried from aq. sol., 25085-20-5  
Poly(dimethylaminoethyl methacrylate), Tg=18, 25154-86-3  
Poly(dimethylsiloxane-co-alpha-methyl styrene), AB block copolymer, 20% dimethylsiloxane, Mw=75000  
Poly(dimethylsiloxane-co-diphenylsiloxane), dimethylsiloxane 80%, 63148-52-7  
Poly(dimethylsiloxane-co-ethylene oxide), AB block cop., dimethylsiloxane 18%, Mw=5000, 68937-54-2  
Poly(dimethylsiloxane-co-ethylene oxide), AB block cop., dimethylsiloxane 25%, Mw=1200, 68937-54-2  
Poly(ethyl acrylate), Mw=100000, Tg=-24, 9003-32-1  
Poly(ethyl methacrylate), Mw=250000, Tg=63, 9003-42-3  
Poly(ethyl methacrylate), Mw=350000, Tg=63, 9003-42-3  
Poly(ethyl methacrylate-co-methyl methacrylate), ethyl methacrylate 50%, Mw=310000, 25685-29-4  
Poly(ethylene adipate), Mw=10000, Tg=0, 24938-37-2  
Poly(ethylene azelate), Mw=50000, Tg=-50, 26760-99-6  
Poly(ethylene glycol mono-methyl ether), Mw=1900, 9004-74-4  
Poly(ethylene glycol mono-methyl ether), Mw=350, 9004-74-4  
Poly(ethylene glycol mono-methyl ether), Mw=5000, 9004-74-4  
Poly(ethylene glycol mono-methyl ether), Mw=550, 9004-74-4  
Poly(ethylene glycol mono-methyl ether), Mw=750, 9004-74-4  
Poly(ethylene glycol), Mw=1000, 25322-68-3  
Poly(ethylene glycol), Mw=1500, 25322-68-3  
Poly(ethylene glycol), Mw=200, 25322-68-3  
Poly(ethylene glycol), Mw=300, 25322-68-3  
Poly(ethylene glycol), Mw=3400, 25322-68-3  
Poly(ethylene glycol), Mw=400, 25322-68-3  
Poly(ethylene glycol), Mw=600, 25322-68-3  
Poly(ethylene glycol), Mw=6800, 25322-68-3  
Poly(ethylene oxide), diamine terminated, amine content 0.88 meq/g, Mw=2000, 65605-36-9  
Poly(ethylene oxide), Mw=100000, Tm=65, Tg=65, 25322-68-3  
Poly(ethylene oxide), Mw=200000, Tg=-67, 25322-68-3  
Poly(ethylene oxide), Mw=300000, Tg=-67, 25322-68-3  
Poly(ethylene oxide), Mw=400000, Tg=-67, 25322-68-3  
Poly(ethylene oxide), Mw=4000000, Tg=-67, 25322-68-3  
Poly(ethylene oxide), Mw=5000000, Tg=-67, 25322-68-3  
Poly(ethylene oxide), Mw=900000, Tg=-67, 25322-68-3  
Poly(ethylene succinate), Mw=10000, Tg=-1, 25569-53-3  
Poly(ethylene terephthalate), inherent viscosity 0.7, Tg=81, 29154-49-2  
Poly(ethylene-co-chlorotrifluoroethylene), 1-to-1 alternating copolymer, 25101-45-5  
Poly(hexadecyl methacrylate), Mw=200000, Tg=15, 25986-80-5  
Poly(hexafluoropropylene oxide), Mw=2000, 60164-51-4  
Poly(hexafluoropropylene oxide), Mw=7000, 60164-51-4  
Poly(hexamethylene sebacate), Mw=60000, 26745-88-0  
Poly(hydroxybutyl methacrylate), Mw=100000  
Poly(hydroxypropyl methacrylate), Tg=73, 9086-85-5  
Poly(isobornyl acrylate), Mw=100000, Tg=94, 69175-26-4

Poly(isobornyl acrylate), Mw=1000000, Tg=94, 69175-26-4  
Poly(isobornyl methacrylate), Mw=100000, Tg=110, 64114-51-8  
Poly(isobornyl methacrylate), Mw=550000, Tg=110, 64114-51-8  
Poly(isobutyl acrylate), Mw=70000, Tg=-43, 26335-74-0  
Poly(isobutyl methacrylate), Mw=260000, Tg=53, 9011-15-8  
Poly(isobutylene-co-isoprene), 2.2 mole% isoprene, Mw=500000, 9010-85-9  
Poly(isobutylene-co-isoprene), brominated, 1.5% isoprene, 2.1% bromine, Mw=410000, 68441-14-5  
Poly(isobutylene-co-isoprene), brominated, 1.5% isoprene, 2.1% bromine, Mw=540000, 68441-14-5  
Poly(isodecyl acrylate), Mw=60000, 54841-40-6  
Poly(isodecyl methacrylate), Mw=165000, Tg=-41, 37200-12-7  
Poly(isooctyl acrylate), Mw=60000, 25266-13-1  
Poly(isopropyl acrylate), Mw=120000, Tg=-3, 26124-32-3  
Poly(isopropyl methacrylate), Mw=100000  
Poly(lauryl acrylate), Mw=50000, Tg=-30, 26246-92-4  
Poly(lauryl methacrylate), Mw=250000, 25719-52-2  
Poly(methacrylic acid), 25087-26-7  
Poly(methacrylic acid), sodium salt, dried aq. sol., Mw=6500, 54193-36-1  
Poly(methacrylic acid), sodium salt, dried aq. sol., Mw=9500, 54193-36-1  
Poly(methyl acrylate), Mw=40000, Tg=5, 9003-21-8  
Poly(methyl methacrylate), 85% syndiotactic, Mw=50000, Tg=105, 9011-14-7  
Poly(methyl methacrylate), 95% isotactic, Mw=300000, Tg=38, 9011-14-7  
Poly(methyl methacrylate), Mw=15000, Tg=105, 9011-14-7  
Poly(methyl methacrylate), Mw=35000, Tg=105, 9011-14-7  
Poly(methyl methacrylate), Mw=540000, Tg=95, 9011-14-7  
Poly(methyl methacrylate), Mw=75000, Tg=105, 9011-14-7  
Poly(methyl methacrylate-co-2-acrylamido-2-methylpropane sulfonic acid), methyl methacrylate 95%  
Poly(methyl vinyl ether/maleic acid), monobutyl ester, 25119-68-0  
Poly(methylene-co-guanidine), hydrochloride, dried aq. sol., 55295-98-2  
Poly(N,N-dimethyl acrylamide), Mw=100000, Tg=120, 26793-34-0  
Poly(N,N-dimethyl-3,5-dimethylene piperidinium chloride), Mw=250000, 113277-70-6  
Poly(N-acetylglucosamine), 1398-61-4  
Poly(n-butyl acrylate), Mw=100000, 9003-49-0  
Poly(n-butyl methacrylate), Mw=180000, Tg=15, 9003-63-8  
Poly(n-decyl acrylate), Mw=130000, 29500-86-5  
Poly(n-decyl methacrylate), Mw=100000, Tg=-70, 29320-53-4  
Poly(neopentyl methacrylate), 34903-87-2  
Poly(n-hexyl acrylate), Mw=100000, Tg=-57, 27103-47-5  
Poly(n-hexyl methacrylate), Mw=400000, 25087-17-6  
Poly(N-isopropyl acrylamide), Mw=300000, Tg=130, 25189-55-3  
Poly(n-octyl acrylate), Mw=100000, Tg=-65, 25266-13-1  
Poly(n-octyl methacrylate), Mw=100000, Tg=20, 25087-18-7  
Poly(n-propyl methacrylate), Mw=250000, Tg=35, 25609-74-9  
Poly(n-ptopyl acrylate), Mw=140000,  
Poly(n-tridecyl methacrylate), Mw=100000, 41630-11-9  
Poly(octadecyl acrylate), Mw=65000, 25986-77-0  
Poly(octadecyl methacrylate), Mw=170000, Tg=-100, 25639-21-8  
Poly(phenyl methacrylate), Mw=100000, Tg=110, 25189-01-9  
Poly(p-oxybenzoate), 26099-71-8  
Poly(p-phenylene ether-sulphone), melt flow index 12.8g/10min at 320C, 25119-62-4  
Poly(propylene glycol), Mw=1000, 25322-69-4  
Poly(propylene glycol), Mw=2000, 25322-69-4

Poly(propylene glycol), Mw=3000, 25322-69-4  
Poly(propylene glycol), Mw=4000, 25322-69-4  
Poly(propylene glycol), Mw=425, 25322-69-4  
Poly(propylene glycol), Mw=725, 25322-69-4  
Poly(propylene oxide), diurea terminated, Mw=2000, 65605-54-1  
Poly(propylene oxide), triamine terminated, amine content 0.46 meg/g, Mw=5000, 64852-22-8  
Poly(p-tert-butylstyrene), Tg=132, 26009-55-2  
Poly(sec-butyl methacrylate), Tg=60, 29356-88-5  
Poly(styrene sulfonic acid-co-maleic anhydride), sodium salt, 25% maleic anhydride, Mw=20000, 68037-40-1  
Poly(styrene-co-2-acrylamido-2-methyl propane sulfonic acid), sodium salt, styrene 95%  
Poly(t-butylaminoethyl methacrylate), Mw=40000, Tg=33, 26716-20-1  
Poly(tert-butyl acrylate), Mw=100000, Tg=43, 9003-63-8  
Poly(tert-butyl methacrylate), Tg=107, 25189-00-9  
Poly(tetrafluoroethylene), Tg=130, 9002-84-0  
Poly(tetrahydrofurfuryl acrylate), Mw=150000, 29324-52-5  
Poly(tetrahydrofurfuryl methacrylate), Mw=240000, 25035-85-2  
Poly(tetramethylene ether) glycol, Mw=1000, 25190-06-1  
Poly(tetramethylene ether) glycol, Mw=2000, 25190-06-1  
Poly(tetramethylene ether) glycol, Mw=2900, 25190-06-1  
Poly(tetramethylene ether) glycol, Mw=650, 25190-06-1  
Poly(trimethylene adipate), Mw=3800, Tg=-59, 36568-42-0  
Poly(trimethylene glutarate); Poly(propylene glutarate), Mw=4000, 52256-48-1  
Poly(trimethylene succinate); Poly(propylene succinate), Mw=9500, 28158-21-6  
Poly(vinyl acetate), Mw=100000, Tg=30, 9003-20-7, cast  
Poly(vinyl acetate), Mw=170000, Tg=30, 9003-20-7  
Poly(vinyl alcohol), 78% hydrolyzed, Mw=2000, 9002-89-5  
Poly(vinyl alcohol), 88% hydrolyzed, Mw=10000, 25213-24-5  
Poly(vinyl alcohol), 88% hydrolyzed, Mw=125000, 25213-24-5  
Poly(vinyl alcohol), 88% hydrolyzed, Mw=3000, 25213-24-5  
Poly(vinyl alcohol), 88% hydrolyzed, Mw=96000, 25213-24-5  
Poly(vinyl alcohol), 96% hydrolyzed, Mw=95000, 25213-24-5  
Poly(vinyl alcohol), 98% hydrolyzed, Mw=126000, 9002-89-5  
Poly(vinyl alcohol), 98% hydrolyzed, Mw=88000, 9002-89-5  
Poly(vinyl alcohol), 99% hydrolyzed, Mw=86000, Tg=99, 9002-89-5  
Poly(vinyl alcohol), 99.7% hydrolyzed, Mw=115000, Tg=99, 9002-89-5  
Poly(vinyl butyral), 11% Hydroxyl, 1% Acetate, 88% Butyral, Mw=180000, Tg=51, 27360-07-2  
Poly(vinyl butyral), 19% Hydroxyl, 1% Acetate, 80% Butyral, Mw=220000, Tg=51, 27360-07-2  
Poly(vinyl butyral), 19% Hydroxyl, 1% Acetate, 80% Butyral, Mw=300000, Tg=51, 27360-07-2  
Poly(vinyl butyral), Mw=260000, 19% hydroxyl, 1% acetate, 80% butyral, Tg=51, 27360-07-2  
Poly(vinyl butyral), Mw=285000, 19% hydroxyl, 1% acetate, 80% butyral, Tg=51, 27360-07-2  
Poly(vinyl butyral), Mw=88000, 19% hydroxyl, 1% acetate, 80% butyral, Tg=51, 27360-07-2  
Poly(vinyl butyrate), Mw=8000, 24991-31-9  
Poly(vinyl chloride), 56% chlorine by wt., Mw=120000, Tg=85, 9002-86-2  
Poly(vinyl chloride), carboxylated, carboxyl 1.8% by wt., Mw=220000, Tg=84, 25702-80-1  
Poly(vinyl chloride), chlorine 56% by wt., Mw=120000, Tg=85, 9002-86-2  
Poly(vinyl chloride), chlorine 56% by wt., Mw=175000, Tg=85, 9002-86-2  
Poly(vinyl chloride), chlorine 56% by wt., Mw=215000, Tg=85, 9002-86-2  
Poly(vinyl chloride), chlorine 56% by wt., Mw=245000, Tg=85, 9002-86-2  
Poly(vinyl cinnamate), Mw=100000, 9050-06-0  
Poly(vinyl ethyl ether), Mw=120000, Tg=-30, 25104-37-4  
Poly(vinyl ethyl ether), Mw=3800, Tg=-60, 25104-37-4

Poly(vinyl fluoride), fluorine 41%, Tg=41, 24981-14-4  
Poly(vinyl formal), formal 82%, acetate 12%, hydroxyl 6%, Mw=70000, 63450-157  
Poly(vinyl laurate), Mw=110000, Tg=1, 296246-91-3  
Poly(vinyl methyl ether), dried aq. sol., Mw=200000, Tg=-34, 9003-09-2  
Poly(vinyl methyl ether), dried aq. sol., Mw=90000, Tg=-49, 9003-09-2  
Poly(vinyl methyl ether), Mw=90000, Tg=-49, 9003-09-2  
Poly(vinyl methyl ketone), 25038-87-3  
Poly(vinyl neodecanoate), Mw=20000, 66987-22-2  
Poly(vinyl neononanoate), Mw=14000  
Poly(vinyl pivalate), Mw=100000, Tg=70, 26715-88-8  
Poly(vinyl propionate), Mw=30000, Tg=-7, 25035-84-1  
Poly(vinyl stearate), Mw=90000, 9003-95-6  
Poly(vinyl toluene), mixed isomers, 60% meta, 40% para, Mw=80000, 9017-21-4  
Poly(vinylbenzyl chloride), mixed isomers, 60% meta, 40% para, Mw=500000, 9080-67-5  
Poly(vinylbenzyl chloride), mixed isomers, 60% meta, 40% para, Mw=55000, 9080-67-5  
Poly(vinylbenzyl trimethyl ammonium chloride), dried aq. sol., Mw=100000, Tg=228, 9017-80-5  
Poly(vinylbenzyl trimethyl ammonium chloride), dried aq. sol., Mw=400000, 9017-80-5  
Poly(vinylidene fluoride), fluorine 59%, Mw=530000, Tg=38, 24937-79-9  
Poly[tetrafluoroethylene-co-perfluoro(alkyl vinyl ether)], 26655-06-5  
Polyacenaphthylene, Mw=5000, Tg=214, 25036-01-5  
Polyacetal, Tg=-30, 25231-38-3  
Polyacrylamide, carboxyl modified, high carboxyl content, Mw=200000  
Polyacrylamide, carboxyl modified, low carboxyl content, Mw=200000  
Polyacrylamide, dried from aq. sol., Mw=10000, Tg=165, 9003-05-8  
Polyacrylamide, dried from aq. sol., Mw=1500, Tg=165, 9003-05-8  
Polyacrylamide, Mw=10000, Tg=165, 9003-05-8  
Polyacrylamide, Mw=1500, Tg=165, 9003-05-8  
Polyamide resin, viscosity 10p (190C), 68650-48-6  
Polyamide resin, viscosity 20p (225C), 63139-70-8  
Polyamide resin, viscosity 35p (240C), 25608-63-3  
Polyamide resin, viscosity 70p (210C), 68989-76-4  
Polybutadiene oligomer, acrylated, Mw=7000, 9003-17-2  
Polybutadiene, cis and trans, 36% cis 1,4; 55% trans 1,4; 9% vinyl 1,2; Mw=200000, Tg=-96, 9003-17-2  
Polybutadiene, cis, 98% cis-polybutadiene, Mw=250000, Tg=-104, 9003-17-2  
Polybutadiene, cis, certified geometrical isomer content, 98.5% cis, 0.4% trans, 1.1% vinyl, Mw=200000, 9003-17-2  
Polybutadiene, cis, Mw=200000, Tg=-104, 9003-17-2  
Polybutadiene, dicarboxy terminated, Mw=10000, 68891-79-2  
Polybutadiene, dicarboxy terminated, Mw=9000, 68891-79-2  
Polybutadiene, phenyl terminated, 80% unsaturation, Mn=1000, 9003-17-2  
Polybutadiene, phenyl terminated, 80% unsaturation, Mn=1800, 9003-17-2  
Polybutadiene, phenyl terminated, 99% unsaturation, Mn=2000, 9003-17-2  
Polybutadiene, phenyl terminated, Mn=1300, 80% unsaturation, 9003-17-2  
Polybutadiene, phenyl terminated, Mn=1300, 99% unsaturation, 9003-17-2  
Polybutadiene, phenyl terminated, Mn=900, 9003-17-2  
Polycaprolactone, Mw=200000, Tg=-60, 24980-41-4  
Polycarbonate, Mw=36000, Tg=149, 103598-77-2  
Polycarbonate, Mw=60000, Tg=149, 103598-77-2  
Polychloroprene, chlorine 40 by wt., Tg=-48, talc present, 9010-98-4  
Polydiethoxysiloxane, Mw=600, 68412-37-3  
Polydiethylsiloxane, Mw=1500, 63148-61-8  
Polydiethylsiloxane, Mw=300, 63148-61-8

Polydiethylsiloxane, Mw=600, 63148-61-8  
Polydimethylsilane, 28883-63-8  
Polydimethylsiloxane, 107-51-7  
Polydimethylsiloxane, acetoxyl terminated, Mw=36000, 68440-60-8  
Polydimethylsiloxane, diaminopropyl terminated, Mw=1000, 106214-84-0  
Polydimethylsiloxane, diaminopropyl terminated, Mw=25000, 106214-84-0  
Polydimethylsiloxane, dihydroxy terminated, Mw=110000, 70131-67-8  
Polydimethylsiloxane, dihydroxy terminated, Mw=18000, 70131-67-8  
Polydimethylsiloxane, dihydroxy terminated, Mw=2000, 70131-67-8  
Polydimethylsiloxane, dihydroxy terminated, Mw=36000, 70131-67-8  
Polydimethylsiloxane, dihydroxy terminated, Mw=4000, 70131-67-8  
Polydimethylsiloxane, dihydroxy terminated, Mw=550, 70131-67-8  
Polydimethylsiloxane, dihydroxy terminated, Mw=90000, 70131-67-8  
Polydimethylsiloxane, ethoxy terminated, Mw=1000, 70851-25-1  
Polydimethylsiloxane, methyl diacetoxyl terminated, Mw=36000, 70879-95-7  
Polydimethylsiloxane, Mw=115000, Tg=-123, 63148-62-9  
Polydimethylsiloxane, viscosity 100000cs (25C), 63148-62-9  
Polydimethylsiloxane, viscosity 10000cs (25C), 63148-62-9  
Polydimethylsiloxane, viscosity 1000cs (25C), 63148-62-9  
Polydimethylsiloxane, viscosity 100cs (25C), 63148-62-9  
Polydimethylsiloxane, viscosity 10cs (25C), 63148-62-9  
Polydiphenoxyphosphazene, Mw=400000  
Polypichlorohydrin, Mw=70000, Tg=-22, talc present, 24969-06-0  
Polyethylene, chlorosulfonated, Cl 43% by wt., Mw=195000, 68037-39-8  
Polyethylene, Cl 25% by wt., 64754-90-1, contains talc  
Polyethylene, Cl 36% by wt., 64754-90-1, contains talc  
Polyethylene, Cl 42% by wt., 64754-90-1, contains talc  
Polyethylene, Cl 48% by wt., 64754-90-1, contains talc  
Polyethylene, high density, Mw=125000, 25213-02-9  
Polyethylene, low density, Mw=50000, 9002-88-4  
Polyethylene, Mn=1100, 9002-88-4  
Polyethylene, Mn=1400, 9002-88-4  
Polyethylene, Mn=1800, 9002-88-4  
Polyethylene, Mn=6500, 9002-88-4  
Polyethylene, Mn=900, 9002-88-4  
Polyethylene, oxidized, 68441-17-8  
Polyethyleneimine, 80 ethoxylated, base polymer, dried from aq. sol., Mw=50000, 26658-46-8  
Polyethyleneimine, 80 ethoxylated, base polymer, dried from aq. sol., Mw=70000, 26658-46-8  
Polyethyleneimine, dried from aq. sol., Mn=60000, 9002-98-6  
Polygalacturonic acid, 25990-10-7  
Polygalacturonic acid, lithium salt, 108321-61-5  
Polygalacturonic acid, methyl ester, methyl ester 63-66, 9000-69-5  
Polygalacturonic acid, methyl ester, methyl ester 70-75%, Mw=25-50000, 9000-69-5  
Polygalacturonic acid, potassium salt, 108321-62-6  
Polygalacturonic acid, sodium salt, 9049-37-0  
Polyimidazoline, quaternized, dried from aq. sol., 68187-22-4  
Polyisobutylene, Mw=1270000, Tg=-62, 9003-27-4  
Polyisobutylene, Mw=1700000, Tg=-62, 9003-27-4  
Polyisobutylene, Mw=2800, Tg=-75, 9003-27-4  
Polyisobutylene, Mw=2800000, Tg=-61, 9003-27-4  
Polyisobutylene, Mw=400000, Tg=-64, 9003-27-4

Polyisobutylene, Mw=4700000, Tg=-61, 9003-27-4  
Polyisobutylene, Mw=85000, Tg=-64, 9003-27-4  
Polyisobutylene, Mw=850000, Tg=-64, 9003-27-4  
Polyisoprene, chlorinated, chlorine 65%, Mw=450000, 68441-58-7  
Polyisoprene, cis, 97% cis 1,4; Mw=800000, Tg=-67, 104389-31-3  
Polyisoprene, trans, Mw=400000, Tg=-68, 104389-32-4  
Polymethacrylamide, 25014-12-4  
Polymethylhexylsiloxane, Mw=5000  
Polymethylhydrosiloxane, Mw=1500, 63148-57-2  
Polymethyloctadecylsiloxane, Mw=11000, 68607-75-0  
Polymethyloctylsiloxane, Mw=6200, 68440-90-4  
Polymethylphenylsiloxane, Mw=2600, Tg=-86, 63148-58-3  
Polymethyltetradecylsiloxane, Mw=9400, 76684-67-8  
Polypropylene, atactic, Mw=10000, 9003-07-0  
Polypropylene, atactic, Mw=12000, 9003-07-0  
Polypropylene, isotactic, chlorinated, chlorine 26%, 68442-33-1  
Polypropylene, isotactic, chlorinated, chlorine 32%, 68442-33-1  
Polypropylene, isotactic, Tg=-26, 9003-07-0  
Polystyrene sulfonate, ammonium salt, dried from aq. sol., Mw=120000, 29965-34-2  
Polystyrene sulfonate, lithium salt, dried from aq. sol., Mw=70000, 9016-91-5  
Polystyrene sulfonate, sodium salt, Mw=500000, 25704-18-1  
Polystyrene sulfonate, sodium salt, Mw=70000, 25704-18-1  
Polystyrene, 90% isotactic, Mw=400000, 9003-53-6  
Polystyrene, 98% syndiotactic, Tg=100, 9003-53-6  
Polystyrene, Bimodal polymer, Mw=45000, 9003-53-6  
Polystyrene, dicarboxy terminated, Mw=100000, 9003-53-6  
Polystyrene, dicarboxy terminated, Mw=150000, 9003-53-6  
Polystyrene, dicarboxy terminated, Mw=25000, 9003-53-6  
Polystyrene, dicarboxy terminated, Mw=50000, 9003-53-6  
Polystyrene, monocarboxy terminated, Mw=100000, 9003-53-6  
Polystyrene, monocarboxy terminated, Mw=13000, 9003-53-6  
Polystyrene, monocarboxy terminated, Mw=150000, 9003-53-6  
Polystyrene, monocarboxy terminated, Mw=200000, 9003-53-6  
Polystyrene, monocarboxy terminated, Mw=30000, 9003-53-6  
Polystyrene, monocarboxy terminated, Mw=50000, 9003-53-6  
Polystyrene, monohydroxy terminated, Mw=10000, 9003-53-6  
Polystyrene, monohydroxy terminated, Mw=100000, 9003-53-6  
Polystyrene, monohydroxy terminated, Mw=4-5000, 9003-53-6  
Polystyrene, monomethacrylate terminated, Mw=15000, 9003-53-6  
Polystyrene, Mw=190000, Tg=100, 9003-53-6  
Polystyrene, Mw=235000, Tg=100, 9003-53-6  
Polystyrene, Mw=250000, Tg=100, 9003-53-6  
Polystyrene, Mw=280000, 9003-53-6  
Polysulfone, anionic, dried from aq. sol.  
Polysulfone, Mw=80000, 25154-01-2  
Polyvinylpyrrolidone, Mw=10000, Tg=175, talc present, 9003-39-8  
Polyvinylpyrrolidone, Mw=360000, Tg=175, 9003-39-8  
Polyvinylpyrrolidone, Mw=40000, Tg=175, 9003-39-8  
Propylene/acrylic acid copolymer, acrylic acid 6%, 25214-24-8  
Styrene/acrylonitrile copolymer, acrylonitrile 25%, Mw=165000, 9003-54-7  
Styrene/acrylonitrile copolymer, acrylonitrile 32%, Mw=185000, 9003-54-7

Styrene/allyl alcohol copolymer, hydroxyl 5.4-6.0%, Mw=3000, Tg=63, 25119-62-4  
Styrene/allyl alcohol copolymer, Mw=2800, Tg=63, 9010-76-8+  
Styrene/butadiene copolymer, styrene 23%, 9003-55-8  
Styrene/butadiene copolymer, styrene 45%, 9003-55-8  
Styrene/butadiene copolymer, styrene 5%, 9003-55-8  
Styrene/butadiene, ABA block copolymer, styrene 28%, Mw=100000, 9003-55-8  
Styrene/butadiene, ABA block copolymer, styrene 30%, Mw=140000, 9003-55-8  
Styrene/butyl methacrylate copolymer, butyl methacrylate 50%, Mw=200000, 25213-39-2  
Styrene/ethylene-butylene, ABA block copolymer, styrene 29%, Mw=90000, 66070-58-4  
Styrene/isoprene, ABA block copolymer, styrene 14%, isoprene 86%, Mw=150000, 25038-32-8  
Styrene/maleic anhydride copolymer, partial methyl ester, styrene 50%, Mw=350000, 31959-78-1  
Styrene/maleic anhydride copolymer, styrene 50mole%, Mn=1600, 26762-29-8  
Styrene/maleic anhydride copolymer, styrene 67mole%, Mn=1700, 26762-29-8  
Styrene/maleic anhydride copolymer, styrene 75mole%, Mn=1900, 26762-29-8  
Vinyl alcohol/vinyl acetate copolymer, Mw=90000, 25213-24-5  
Vinyl alcohol/vinyl butyral copolymer, VA 0.5%, VB 80% Mw=130000, 27630-07-2  
Vinyl chloride/vinyl acetate copolymer, VC 88%, VA 12%, Mw=25000, 9003-22-9  
Vinyl chloride/vinyl acetate copolymer, VC 90%, VA 10%, Mw=115000, 9003-22-9  
Vinyl chloride/vinyl acetate/hydroxypropyl acrylate terpolymer, VC 80%, VA 5%, Mw=40000, 41618-91-1  
Vinyl chloride/vinyl acetate/maleic acid terpolymer, VC 81%, VA 16.5%, Mw=30000, 9005-09-8  
Vinyl chloride/vinyl acetate/maleic acid terpolymer, VC 86%, VA 13%, Mw=70000, 9005-09-8  
Vinyl chloride/vinyl acetate/vinyl alcohol terpolymer, VC 91%, VA 3%, Mw=70000, Tg=79, 25086-48-0  
Vinylidene chloride/vinyl chloride copolymer, vinylidene chloride 5%, Mw=165000, Tg=90, 9011-06-7  
Zein, Mw=35000, 9010-66-6

## **TRADENAME POLYMER ADDITIVES**

4,4'-Isopropylidenebis(2,6-dibromophenol); Tetrabromobisphenol A, 79-94-7  
Aranox; N-phenyl-N-(p-toluenesulfonyl)-p-phenylenediamine, 100-93-6  
Benzophenone, 119-61-9  
Hostavin N-30 UV, 64338-16-5; 106-89-8  
KeyFluor White OB-1  
Nylostab, 42774-15-2  
PE-68; Tetrabromobisphenol A bis(2,3-dibromopropyl ether), 21850-44-2  
Saytex HP 900G Flame Retardant; Hexabromocyclododecane, 3194-55-6  
Sp-75; 1,2,5,6,9,10-hexabromo-cyclododecane, 3194-55-6  
Tinuvin 622, 65447-77-0  
Tinuvin 770; Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate, 52829-07-9  
Tinuvin P; 2-(2H-benzotriazol-2-yl)-p-cresol, 2440-22-4

## **COMMON PLASTICS AND ENGINEERING PLASTICS**

ABS + Nylon alloy  
Acetal resin, copolymer  
Acetal resin, homopolymer  
Acrylic; PMMA; Polymethylmethacrylate  
Acrylic; PMMA; Polymethylmethacrylate, modified with ABS  
Acrylonitrile butadiene styrene with acrylic coating, regrind  
Acrylonitrile butadiene styrene, flame retardant; ABS  
Acrylonitrile butadiene styrene, high impact; ABS

Acrylonitrile butadiene styrene, medium impact; ABS  
Acrylonitrile butadiene styrene, natural, pellets  
Acrylonitrile butadiene styrene, white, regrind, Low Melt Extrusion Grade  
Acrylonitrile butadiene styrene; ABS  
Advanced Composites, Nylon, pellets, glass filled  
ASA; Alpha methylstyrene acrylonitrile, Type TW23V-S, gray, pellets  
Celcon M90 DK, Polyacetal, gray, pellets, regrind  
Cellulose acetate butyrate; CAB  
Dupont Hytrel TPE Thermoplastic Elastomer, beige, pellets G5544  
Dupont Zytel 70G13HS1L Nylon 6,6, black, pellets, 13% glass filled  
Ethylene vinyl acetate; EVA  
Flexible PVC, clear E584 64A, ample phthalate  
GE Plastics Lexan Polycarbonate Grade: 4701R Color: 610002  
GE Ultem, natural, pellets, Polyetherimide; PEI  
Geloy CR7500 BK1041 ASA + AMSAN, pellets  
HIFax TRC 779P TPO; Thermoplastic olefin, black, pellets, contains talc  
Ionomer  
Lupital Acetyl, natural, pellets  
Multi-Flex TPE; Thermoplastic elastomer, beige, pellets, contains talc  
NAS 30, Styrene methyl methacrylate acrylic copolymer, regrind  
Noryl 0888 Black Pellets, PPO; Poly(phenylene oxide), styrenic  
Noryl EM7301F Black, regrind, PPO; Poly(phenylene oxide), styrenic  
Nylatron G5-51 Nylon 6,6, black, pellets, 32% glass filled  
Nylon 6, Enbarr 2020 B-N, natural, pellets  
Nylon 6,6, 33% glass filled  
Nylon AS-1945 HS, glass filled, natural, regrind  
Nylon AS-1945 HS, glass filled, natural, regrind  
Nylon virgin/regrind, high glass content  
Nylon Virgin/regrind, high glass content  
PC;Polycarbonate-ABS;Acrylonitrile butadiene styrene, black, pellets, PCA-017-BK2013  
PC;Polycarbonate-ABS;Acrylonitrile butadiene styrene, brown, pellets  
PolyBatch P 2635-08AA Foamable  
Polyfort FPP 10060, beige, pellets, contains talc  
Polyfort FPP 1902X-01, natural, Polypropylene, 10% talc filled  
Polyphenylene oxide; PPO, talc, PS present  
Polyphenylene sulfide; PPS  
Polypropylene + Calcium carbonate; CaCO<sub>3</sub>  
Polypropylene + Mica  
Polypropylene + Talc  
Polypropylene Beige, 25% talc filled  
Polypropylene BJ5H-TS2 PK74, Dark Gray, Advanced Composites Inc.  
Polypropylene Black Pellets Grade: AS158K, contains talc  
Polypropylene MC with glass/talc, regrind  
Polypropylene Pellets 6120 A55-SM, 20% talc filled  
Polypropylene RCP TR335OUC, natural, pellets  
Polypropylene RTP Poly-Pro FR Long Fiber, 40% glass filled  
Polypropylene + Barium sulfate; BaSO<sub>4</sub>  
Polypropylene, beige, pellets with antioxidant, 5% calcium filled  
Polypropylene, flame retardant  
Polypropylene, glass filled  
Polypropylene, natural, pellets, 40% calcium filled

Polypropylene, orange, pellets, 20% talc filled  
Polypropylene, yellow, pellets, 20% calcium filled  
Polyvinyl chloride, flexible; PVC, ample phthalate  
Polyvinyl chloride, rigid; PVC, some phthalate  
Rynite PET Natural Pellets  
Sevrene 3500-70A 8958 10X9 TPE Thermoplastic elastomer, styrenic, black, pellets  
Shulamid CB 6MV5-4423 Nylon 6, Medium Oak, pellets  
Styrene acrylonitrile; SAN  
Styrene butadiene block copolymer  
Styrenic terpolymer  
Synthetic elastomer, styrene block copolymer  
Thermoplastic rubber; TPV  
TPO; Thermoplastic olefin, pellets, 10% talc filled  
TPX HTN-01027A Nylon 33% glass filled, natural, pellets  
Translucent Green Polycarbonate, regrind  
Urethane elastomer; TPU; Thermoplastic polyurethane  
Vi-Chem PVC V141-701-8670 Medium, natural bone, pellets  
Vi-Chem VNC80-30I-7261 Color:WPV848, black, pellets  
Wellamid MR410 42H-NBK1 Nylon 6, black, pellets, 40% mineral reinforced  
White Acrylonitrile butadiene styrene, pellets, Grade: 717C  
Antistatic Acetal Rod  
Black Delrin(r) Acetal Resin Rod  
Chemical and Wear-Resistant Acetal Rod, Black  
Chemical and Wear-Resistant Acetal Rod, White  
Chemical-Resistant PVC (Type I) Rod  
Chemical-Resistant PVC (Type II) Rod  
Chemical-Resistant Tinted PVC (Type I) Rod  
CPVC Rod; Chlorinated polyvinylchloride  
CTFE Rod; Polychlorotrifluoroethylene  
Delrin(r) Acetal Resin Rod, glass filled  
Easy-to-Machine ABS Rod, Beige  
Easy-to-Machine ABS Rod, Black  
Electrical Insulating Noryl Rod PPO; Polyphenyleneoxide  
Extreme-Temperature Slippery PTFE Rod; Polytetrafluoroethylene  
FEP Rod; Fluorinated ethylene propylene  
Formable Chemical-Resistant Kydex Acrylic/PVC, White  
GE Ultem Rod; PEI; Polyetherimide  
High-Strength Chemical-Resistant PVDF Rod; Polyvinylidene fluoride  
Impact Resistant Polycarbonate Rod, Semi-Clear  
Impact-Resistant Black Polycarbonate Rod  
Impact-Resistant UHMW Polyethylene Rod  
Machinable and Bendable Clear PETG Rod; Polyethylene terephthalate glycol modified  
Metal-Detector-Grade UHMW Polyethylene Rod  
Moisture-Resistant LDPE Polyethylene Rod  
PEEK Rod; Polyether ether ketone  
PFA Rod; Perfluoroalkoxy polymer resin  
Polycarbonate Rod, black, glass filled  
Polysulfone Rod  
PTFE Rod; Polytetrafluoroethylene, glass filled  
PTFE-Filled Delrin(r) Acetal Resin Rod  
Rigid HDPE Polyethylene Rod

Self Lubricating Oil-Filled UHMW Polyethylene Rod  
Self-Lubricating Hydrex Polyester Rod  
Self-Lubricating MDS-Filled Nylon Rod  
Self-Lubricating Turcite Acetal Rod, Blue  
Self-Lubricating Turcite Acetal Rod, Red  
Static-Dissipative UHMW Polyethylene Rod  
Ultra Chemical-Resistant PPS Rod, Polyphenylene sulfide  
Ultra-Machinable Radel Rod  
Wear and Moisture-Resistant Nylon  
Wear-Resistant Black Nylon Rod  
Wear-Resistant Nylon Rod  
Wear-Resistant Slippery PEEK; Polyether ether ketone  
White Delrin(r) Acetal Resin Rod

## **RUBBER**

Butyl Rubber, 60 Durometer, contains talc  
ECH Rubber, 60 Durometer  
ECH; Epichlorohydrin Rubber, 60 Durometer, contains talc  
EPDM Rubber, 60 Durometer  
EPDM; Ethylene propylenediene monomer Rubber, 60 Durometer, contains talc  
FDA Compliant Neoprene Rubber, 55A Durometer, contains talc  
Fire Retardant Neoprene Rubber, 50A Durometer, contains talc  
High Strength Multipurpose Neoprene Rubber, 30A Durometer  
High Strength Multipurpose Neoprene Rubber, 40A Durometer  
High Strength Multipurpose Neoprene Rubber, 50A Durometer  
High Strength Multipurpose Neoprene Rubber, 60A Durometer  
High Strength Multipurpose Neoprene Rubber, 70A Durometer, contains talc  
High Strength Multipurpose Neoprene Rubber, 80A Durometer  
High Strength Multipurpose Neoprene Rubber, white, 55A Durometer  
Hypalon Rubber, 65 Durometer  
Latex Rubber, 38-40 Durometer  
Medium Strength Neoprene Rubber, 30A Durometer  
Medium Strength Neoprene Rubber, 40A Durometer  
Medium Strength Neoprene Rubber, 50A Durometer  
Medium Strength Neoprene Rubber, 60A Durometer  
Medium Strength Neoprene Rubber, 70A Durometer  
Medium Strength Neoprene Rubber, 80A Durometer  
Medium Strength Oil Resistant Buna-N Rubber, 75A Durometer  
Neoprene O-ring Cord Stock  
Neoprene Rubber, 60 Durometer, contains talc  
Neoprene Spring Rubber, 75A Durometer  
Nonmarking Neoprene Rubber, 50A Durometer, contains talc  
Polyurethane, 60 Durometer  
Santoprene Rubber, 55 Durometer  
Silicone Rubber, 60 Durometer  
Soft Neoprene O-Ring Cord Stock  
Sorbothane, 40 Durometer Using OO Scale  
Static Control Neoprene Rubber, 50A Durometer, contains talc

Super Cushioning Polyurethane Foam  
Super Soft Neoprene Rubber, 10A Durometer  
Super Soft Neoprene Rubber, 20A Durometer  
Ultra Strength Neoprene Rubber, 50A Durometer  
Ultra Strength Neoprene Rubber, 50A Durometer  
Ultra Strength Neoprene Rubber, 60A Durometer  
Ultra Strength Neoprene Rubber, 70A Durometer  
Viton Fluoroelastomer Rubber, 75 Durometer